

		RIVER 3
General	Product Name	RIVER 3 (UPS)
	Capacity	245Wh/76800mAh
	Dimension	255 x 212 x 113 mm 10.0 x 8.3 x 4.4 inches
	Net. Weight	3.55 kg/7.8 lb
Battery	Battery Chemistry	LFP (LiFePO4)
	Cycle Life	3000 cycles to 80% capacity
Output	AC Output	1 ports , 230V~50Hz, 300W total (Surge 600W, X-Boost 600W)
	USB-A Output	2 ports, 5V=2.4A, 12W Max per port, total 24W
	USB-C Output	1 port, 5/9/12/15V= 3A Max, 20V=5A Max,100W Max
	Car Output	1 port, 12.6V, 10A, 126W Max
	Wireless	×
	AC Recharge	200~240V, 3A Max, 50/60Hz, 300W 0~100% in 60 min

Input	Solar Recharge	11-30V, 8A, 110W Max 0-100% in 2.6 hr (45W input 0-100% in 6.3 hrs) (60W input 0-100% in 4.7 hrs)
	Car Recharge	11~ 30V , 8A Max, 100W Max 0-100% in 2.8 hr
	Generator Recharge	200~240V, 3A Max, 50/60Hz, 300W 0~100% in 60 min
	USB-C Recahrge	✕
Others	UPS	<10ms
	EB	✕
	APP	Wi-Fi & Bluetooth
	Noise	30db
	Waterproof	IP54 only for battery pack, not the whole package
	Warranty	2 Years
	EB Interface	
Rapid	Capacity	✕
	Dimension	✕
	Net. Weight	✕
	Input/output	✕

Environment Temperature	Optimal Operating Temperature	20°C-30°C (68°F-86°F)
	Charge Temperature	0°C-45°C (32°F-113°F)
	Discharge Temperature	-10°C-45°C (14°F-113°F)
	Storage Temperature	20°C-30°C (68°F-86°F)
Operating Altitude		≤2000 m
What's in the box		RIVER 3 (UPS) AC Charging Cable Car Charging Cable Quick Start Guide and warranty

