

OVERVIEW

Cantante, a paradigm shift in audio technology, competes with traditional floor speakers, providing perfect, accurate and powerful auditory experiences. Crafted from patented innovative materials, the speaker system ensures exceptional sound realism, thanks to the unique properties of the coconut shell endocarp. The midrange sound, derived from these properties, allows an extra compact speaker design with a special level of realism and panoramic sound. With precise subwoofer-satellite pairing, this system is ideal for smaller and bigger rooms up to 30-40m², delivering optimal power along with a sophisticated minimalistic design.


KEY FEATURES

- Special 1"x1,4" Tweeter for brilliant sound experience
- Midrange driver with special level of realism and panoramic sound
- Patented Coconut endocarp for a perfect natural sound experience
- Patented polymer concrete Subwoofer Body with an 8" heavy-duty long-throw subwoofer
- Prepared for Spotify Connect, Qobuz, Tidal Connect, HiResAudio, Webradio (expandable)
- Handmade in Europe

CANTANTE

Custom audio system





CANTANTE

Custom audio system



Speakers Specifications	
Туре	Floor-standing triphonic: two-way satellite, bass-reflex subwoofer
Drivers	1"x1,4" (2,5смx3,5см) tweeter 1x 2,5" (6см) midrange 1x 8" (20см) woofer
Operating mode	passive
Frequency response (+/- 3DB)	31Hz-40kHz THD <0,3% (1kHz/90dB/1m)
Low frequency point -6DB	28
Efficiency	84
Nom. Impedance	4 Ohm
Minimum impedance	3,5 Ohm
Crossover frequency	Passive crossover 3.5 kHz only in the satellite. Active crossover in an amplifier: Subsonic filter 28Hz, Crossover subwoofer/satellite 120Hz
Dimensions	Satellite: height 122cm, diameter 28cm; Subwoofer: height 50cm; diameter 28cm
Net weight	Satellite: 5,5kg / subwoofer 17,5kg



Amplifier Specifications		
Dimension	33cm / 23cm / 6,5 cm 4,5kg	
Color	Black	
Streaming Client	Linkplay Streaming Engine	
Display	No	
Inputs	1x Optical S/PDIF PCM 1x Coaxial S/PDIF PCM 1x RCA/Line	
Outputs	1x Analog RCA 1x coaxial digital output S/PDIF 1x optical digital output TOSLINK S/PDIF	
Power Amplifier	Power RMS (amplifier, total): 800W	
USB	USB-C service only connector	
Network	Lan, WiFi 2,4GHz, 5Ghz	
Bluetooth	Bluetooth 5.0 aptX HD	
Formate	up to 24bit/192 khz Hi-Res music and FLAC / MP3 / AAC / AAC+ / ALAC / APE / WAV	
Material	Anodized aluminum	
DAC Function	Ess Sabre DAC - up to 24-bit/192kHz Hi-Res Audio	
Operation	Android, iOS, remote control	
Streaming Services	Compatible with Airplay 2, Spotify Connect, Tidal Connect, Qplay, Amazon Music, Deezer, Internet Radio, Napster, Tunein, etc.	