



PRESTIGIO

designed by COPRA

CANTANTE

Custom audio system

SYMPHONY OF SPACE FILLING SOUND

OVERVIEW

Cantante, a paradigm shift in audio technology, competes with traditional floor speakers, providing perfect, accurate and powerful auditory experiences. Crafted from patented innovative materials, the speaker system ensures exceptional sound realism, thanks to the unique properties of the coconut shell endocarp. The midrange sound, derived from these properties, allows an extra compact speaker design with a special level of realism and panoramic sound. With precise subwoofer-satellite pairing, this system is ideal for smaller and bigger rooms up to 30-40m², delivering optimal power along with a sophisticated minimalistic design.

KEY FEATURES

- Special 1"x1,4" Tweeter for brilliant sound experience
- Midrange driver with special level of realism and panoramic sound
- Patented Coconut endocarp for a perfect natural sound experience
- Patented polymer concrete Subwoofer Body with an 8" heavy-duty long-throw subwoofer
- Prepared for Spotify Connect, Qobuz, Tidal Connect, HiResAudio, Webradio (expandable)
- Handmade in Europe

CANTANTE

Custom audio system

PRESTIGIO

designed by COPRA

2.5" midrange driver with a membrane of aircraft-grade aluminium for powerful detailed sound

Special 1"x1.4" tweeter

Copper bushing alloys for high-frequency electrical contact

Stainless steel pins for electrical signal supply

Patented polymer concrete body for bass power and depth

Compact polymer concrete base with rubber coating for stability


Patented coconut endocarp, light, durable, compact and damped by many micropores and fibers for unique sound effect

Special mid-frequency driver provides vibration isolation combined with the ability of orientation for more accurate stereo sound

Special designed Bass reflect port for deep bass without turbulence

Acoustic diffuser for perfect upper bass sound

Vibration dampening coating



Speakers Specifications

Type	Floor-standing triphonic: two-way satellite, bass-reflex subwoofer
Drivers	1"x1,4" (2,5cmx3,5cm) tweeter 1x 2,5" (6cm) midrange 1x 8" (20cm) woofer
Operating mode	passive
Frequency response (+/- 3DB)	31Hz-40kHz THD <0,3% (1kHz/90dB/1m)
Low frequency point -6DB	28
Efficiency	84
Nom. Impedance	4 Ohm
Minimum impedance	3,5 Ohm
Crossover frequency	Passive crossover 3.5 kHz only in the satellite. Active crossover in an amplifier: Subsonic filter 28Hz, Crossover subwoofer/satellite 120Hz
Dimensions	Satellite: height 122cm, diameter 28cm; Subwoofer: height 50cm; diameter 28cm
Net weight	Satellite: 5,5kg / subwoofer 17,5kg



Amplifier Specifications

Dimension	33cm / 23cm / 6,5 cm 4,5kg
Color	Black
Streaming Client	Linkplay Streaming Engine
Display	No
Inputs	1x Optical S/PDIF PCM 1x Coaxial S/PDIF PCM 1x RCA/Line
Outputs	1x Analog RCA 1x coaxial digital output S/PDIF 1x optical digital output TOSLINK S/PDIF
Power Amplifier	Power RMS (amplifier, total): 800W
USB	USB-C service only connector
Network	Lan, WiFi 2,4GHz, 5Ghz
Bluetooth	Bluetooth 5.0 aptX HD
Formate	up to 24bit/192 khz Hi-Res music and FLAC / MP3 / AAC / AAC+ / ALAC / APE / WAV
Material	Anodized aluminum
DAC Function	Ess Sabre DAC - up to 24-bit/192kHz Hi-Res Audio
Operation	Android, iOS, remote control
Streaming Services	Compatible with Airplay 2, Spotify Connect, Tidal Connect, Qplay, Amazon Music, Deezer, Internet Radio, Napster, Tunein, etc.